


ROOF RACK INSTALLATION GUIDE

For RAV4 with Flush Side Rails

SPECIFICATION

Model year:	Luggage racks Fits 2019 2020 2021 2022-2025 TOYOTA RAV4 Hybrid, Prime (PHEV), LE, XLE, XLE Premium & Limited Models and four hybrid variants which include the LE, XLE, XSE with Factory Flush Roof Rails Only. (NOT TRAIL/ADVENTURE).
Maximum load capacity:	Load Capacity: 600 LBS Dynamic & 1000 LBS In Static
	Refer to car user manual for the recommended limitation from factory.

PART LIST



PART INDEX	DESCRIPTION	QTY.
A	Cross bars (each cross bar is numbered from 1 thru 9, pre-installed bolts are attached to each bar)	9
B	Left and Right Side Frame	2
C	Wind deflector	1
D	Left Front Mounting brackets (U-Shaped to be attached to the roof rail, L-Shaped to be attached to the roof rack)	2
E	Right Front Mounting brackets (U-Shaped to be attached to the roof rail, L-Shaped to be attached to the roof rack)	2
F	Left Rear Mounting brackets (U-Shaped to be attached to the roof rail, L-Shaped to be attached to the roof rack)	2
G	Right Rear Mounting brackets (U-Shaped to be attached to the roof rail, L-Shaped to be attached to the roof rack)	2
Wind deflector J	M6*10	15
K	T-Nut	15
M	Washers	15
Crossbar & Bracket I	M6*20	16+6
H	M8*16 Black	4
L	Nut	16+6
M	Washers	82

TOOLS RECOMMENDED (NOT INCLUDED)



Philip Screwdriver

TOOLS INCLUDED




M5 wrench





T-27 wrench


1

ASSEMBLY





1. Identify aluminum bars from 1 thru 9, start installing bars from rear M6x20mm bolts ①.




2. Install the hardware M6x20mm bolts ① & flat washer ② to wind deflector ③.




**Detailed illustration at the back of top bar and half size bar at the bottom to mount the plates/deflectors.*





3. Ensure that the bar numbers 8 & 9 are in the back of the wind deflector. Start installing the bars with M6x10mm Bolts (J), series T-nuts (K) & washers (M). For the upper left side and upper right side of the deflector use M6x10mm bolts (J) paired by lock washers (L). For the middle part, three series T-nuts (K), M6x10mm bolts (J), and lock washers (L) are to be used to fully secure the Aluminum plate filler.





1. Place the rack on the mounting brackets (D) (E) (F) & (G). It is best to have someone help lift the rack onto the truck. Secure the rack to the truck by using the M8x20mm bolts (H). Make sure to attach the rack loosely at all points before tightening any.



2. Ensure the rack is centered and loosely secured at all mounting points. Once the rack is in the desired location. Tighten each bolt till the lock washer is fully compressed and spacer is firmly seated against the roof.

**FULL INSTALLATION VIEW**

SUPPORT Visit https://rockautoaccs.com for more products Contact at rockmautox@gmail.com for any concerns or problems in Canada.		
SAFETY NOTES Never Exceed the manufacture's roof rack load limit. Ensure load is evenly distributed between the two crossbars and that it is as low as possible refer to specification. Confirm lightness every 1000 km, periodically check that the load is secure and crossbars are securely tightened. Ensure that crossbar installed in correct orientation. Ensure that the crossbars are fully installation to the side supports with no gaps.	ROKIOTOEX will warranty all ROKIOTOEX brand car rack systems and its accessories manufactured by ROKIOTOEX during the time that an original retail purchaser owns the product. This warranty terminates if a purchaser transfers the product to any other person. Subject to the limitations and exclusions described in this warranty, ROKIOTOEX will remedy defects in materials or workmanship by repairing or replacing, at its option, a defective product without charge for parts or labor. In addition, ROKIOTOEX may elect, at its option, not to repair or replace a defective product but rather issue to a purchaser a refund equal to the purchase price paid for the product or a credit to be used toward the purchase of a new ROKIOTOEX load carrier system. No warranty is given for defects caused by normal wear and tear, cosmetic rust, scratches, accidents, unlawful vehicle operation, or modification of, or any types of repair of, a load carrier system other than those authorized by ROKIOTOEX. No warranty is given for defects resulting from conditions beyond ROKIOTOEX's control including, but not limited to, misuse, overloading, or failure to assemble, mount or use the product in accordance with ROKIOTOEX's written instructions or guidelines included with the product or made available to the purchaser. No warranty is given for Rokioex products purchased outside of the United States, Canada and Mexico. In the event that a product needs to be returned to ROKIOTOEX, a ROKIOTOEX technician at the address or telephone number listed above will provide the purchaser with the appropriate mailing address and any additional instructions. Please note that the purchaser will be responsible for the cost of mailing the product to ROKIOTOEX and that proof of purchase in the form of an original purchase invoice or receipt and a detailed description of the defect must be included in the mailing.	DISCLAIMER OF LIABILITY REPAIR OR REPLACEMENT OF A DEFECTIVE PRODUCT OR THE ISSUANCE OF A REFUND OR CREDIT (AS DETERMINED BY ROKIOTOEX) IS A PURCHASER'S EXCLUSIVE REMEDY UNDER THIS WARRANTY. DAMAGE TO A PURCHASER'S VEHICLE, CARGO AND/OR TO ANY OTHER PERSON OR PROPERTY IS EXCLUDED. THIS WARRANTY IS EXPRESSLY MADE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. ROKIOTOEX'S SOLE LIABILITY TO ANY PURCHASER IS LIMITED TO THE REMEDY SET FORTH ABOVE. IN NO EVENT WILL ROKIOTOEX BE LIABLE FOR ANY LOST PROFITS, LOST SALES, OR FOR ANY CONSEQUENTIAL, DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES OR FOR ANY OTHER DAMAGES OF ANY KIND OR NATURE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT BE APPLICABLE. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.